

THREE NEW SPECIES OF PHYTOSEIID MITES (ACARI: PHYTOSEIIDAE) FROM JAPAN

Shôzô Ehara¹, Shingo Toyoshima² and Hiroshi Amano³

1. *Hamasaka 2-15-7, Tottori 680-0001, Japan (e-mail: eharash@ncn-t.net)*; 2. *Apple Research Station, National Institute of Fruit Tree Science, Shimo-kuriyagawa, Morioka 020-0123, Japan (e-mail: toyosin@affrc.go.jp)*;
3. *Laboratory of Applied Entomology and Zoology, Faculty of Horticulture, Chiba University, 648 Matsudo, Chiba 271-8510, Japan (e-mail: amano@faculty.chiba-u.jp)*.

ABSTRACT - Three new phytoseiid mite species are described and illustrated from Japan: *Transeius fulvus* Ehara and Toyoshima, **n. sp.** and *Typhlodromus (Typhlodromus) moricola* Ehara and Toyoshima, **n. sp.** from *Morus bombycis* at Shimo-kuriyagawa, Morioka, Iwate Pref., Honshu, and *Typhlodromus (Anthoseius) kishimotoi* Ehara and Amano, **n. sp.** from *Citrus unshiu* at Kuchinotsu, Shimabara, Nagasaki Pref., Kyushu.

Key words - Acari, Phytoseiidae, *Transeius*, *Typhlodromus (Typhlodromus)*, *Typhlodromus (Anthoseius)*, new species, Japan.

Abstract # 2

Internat. J. Acarol. 32(4): 345-350.